

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1107	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:38
L2	929	715/760.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:38
L3	714	715/763.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:38
L4	594	717/105.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:38
L5	982	717/104.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:38
L6	647	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:38
L7	15208	(optimiz\$5 maximiz\$5) with (value cost) with (parameter constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:39

L8	448	(plac\$5 arrang\$5 assign\$4 creat\$3 build\$3) with (button label) with (constraint parameter) with (cost weight\$3 value factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:41
L9	111	(plac\$5 arrang\$5 assign\$4 creat\$3 build\$3) with (button label) with (constraint parameter) with (cost weight\$3 value factor) with (interface GUI page site)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:41
L10	9	(1 2 3 4 5 6) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:41
L11	7	(1 2 3 4 5 6) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:41
L12	118	(plac\$5 arrang\$5 assign\$4 creat\$3 build\$3 customiz\$5) with (button label) with (constraint parameter) with (cost weight\$3 value factor) with (interface GUI page site)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:42
L13	7	(1 2 3 4 5 6) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:42
L15	8	((arrang\$5 customiz\$5 assign\$4 plac\$5) and (interface page GUI display) and (button label icon) and (constraint) and cost and optimiz\$5).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/13 14:43
S1	0	(automatic\$4) with (label \$4) with (button icon) with (optimiz\$5 minimiz\$5 maximiz\$5) with (cost constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:55

S2	389	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:21
S3	1	((automatic\$4) with (label \$4) with (button icon)) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:22
S4	21	((automatic\$4) with (label \$4) with (button icon)) and ((creat\$3 build\$3) near2 (GUI "user interface"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:49
S5	1	(automatic\$4) with (label \$4) with (button icon) with ((creat\$3 build\$3 develop \$4) near2 (GUI "user interface" "UI" user- interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:55
S6	107	((automatic\$4) with (label \$4 nam\$3 text\$3 titl\$3) with (button icon)) and ((creat\$3 build\$3 develop \$4) near2 (GUI "user interface" "UI" user- interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:56
S7	389	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:56
S8	5	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:58
S9	21	((automatic\$4) with (label \$4) with (button icon)) and ((creat\$3 build\$3) near2 (GUI "user interface"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:58

S10	82	S6 not (S8 S9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:05
S11	2	"6002395".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:05
S12	9	("5121477" "5163130" "5297250" "5347629" "5533184" "5600778" "5642511" "5652850" "5764226").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:06
S13	7	S12 and ((label\$4 nam\$3 text\$3) with (button icon))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:06
S14	5	S12 and ((label\$4 nam\$3 text\$3) near2 (button icon))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:07
S15	1	S12 and ((automatic\$4) with (label\$4 nam\$3 text \$3) near2 (button icon))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:10
S16	9	("6002395").URPN.	USPAT	OR	ON	2005/05/19 15:07
S17	1	S13 and ((automatic\$4) with (label\$4 nam\$3 text \$3) near2 (button icon))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:09
S18	0	S16 and ((automatic\$4) with (label\$4 nam\$3 text \$3) near2 (button icon))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:09
S19	0	S16 and ((automatic\$4) with (label\$4 nam\$3 text \$3) with (button icon))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 15:09
S20	6	(715/760,762,763).ccls. and ((automatic\$4) with (label\$4 nam\$3 text\$3 assign\$4) near2 (button icon))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/20 10:48
S22	458	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:17

S23	1	S22 and ((plac\$5 arrang\$5 assign\$4) with (button label) with (constraint parameter weight factor) with (interact\$3 associat\$3 correspond\$4) with (optimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:28
S24	1	((plac\$5 arrang\$5 assign\$4) with (button label) with (constraint parameter weight factor) with (interact\$3 associat\$3 correspond\$4) with (optimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 16:29
S25	117	((plac\$5 arrang\$5 assign\$4) with (button label) with (constraint parameter weight factor) with (interact\$3 associat\$3 correspond\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:23
S26	8	((plac\$5 arrang\$5 assign\$4) with (button label) with (constraint parameter weight factor) with optimiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:26
S27	8	((plac\$5 arrang\$5 assign\$4 creat\$3 build\$3) with (button label) with (constraint parameter weight) with (cost value factor parameter) with optimiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 17:28
S28	2	S27 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 11:48
S29	24	(build\$3 creat\$3) with (GUI interface screen) with (optimiz\$5) with (constraint weight parameter) with (value quantit\$3 cost data number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 11:52
S30	459	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 11:52

S31	2	S30 and ((optimiz\$5) with (constraint weight parameter) with (value quantit\$3 cost data number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 11:53
S32	3	S30 and ((optimiz\$5) with (constraint weight parameter) with (value quantit\$3 cost data number factor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 11:53
S33	3	S30 and ((optimiz\$5) with (constraint weight\$3 parameter) with (value quantit\$3 cost data number factor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 11:53
S34	17913	(optimiz\$5 minimiz\$5 maximiz\$5) with (parameter weight\$3 constraint) with (value factor data quantit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 12:58
S35	81	(optimiz\$5 minimiz\$5 maximiz\$5) with (parameter weight\$3 constraint) with (value factor data quantit\$3) with (assign\$4 build\$3 creat\$3 label\$4 nam\$3 plac\$5) with (button object item)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:00
S36	459	715/762.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:00
S37	0	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 13:00
S40	9516	(optimiz\$5) with (value number numeric) with (parameter constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:04

S41	325	(optimiz\$5) with (value number numeric) with (parameter cost) with (constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:05
S42	572	(optimiz\$5 minimiz\$5 maximiz\$5) with (value number numeric) with (parameter cost) with (constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:05
S43	413	(optimiz\$5 minimiz\$5 maximiz\$5) with (value) with (parameter cost) with (constraint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:17
S44	0	S43 and (715/762.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:06
S45	0	S43 and (715/762,763,760.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:06
S46	34	S43 and ((creat\$3 build\$3 arrang\$5) with (interface GUI))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:06
S47	10	((optimiz\$5) with (value) with (parameter cost) with (constraint)) and ((calculat\$3) with (value) with (parameter cost) with (constraint))and ((creat\$3 build\$3 arrang\$5) with (interface GUI))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:19
S48	0	S47 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/20 12:19

4/ 13/ 10 2:44:47 PM

C:\Documents and Settings\TZhou\My Documents\EAST\Workspaces\09\09910669_2.wsp